

Literaturverzeichnis zum Fachartikel “Karpaltunnelsyndrom und die gezielte hand- und narbentherapeutische Behandlung“ von Bianca Peters in „praxis ergotherapie“, Ausgabe 03-2024:

Bahrami MH, Rayegani SM, Fereidouni M, Baghbani M. Prevalence and severity of carpal tunnel syndrome (CTS) during pregnancy. 2005, Electromyogr Clin Neurophysiol, 45(2):123-5

Farzam R, Deilami M, Jalili S, Kamali K. Comparison of Anesthesia Results between Wide Awake Local Anesthesia no Tourniquet (WALANT) and Forearm Tourniquet Bier Block in Hand Surgeries: A Randomized Clinical Trial. 2021. Arch Bone Jt Surg., 116-121. <https://doi: 10.22038/abjs.2020.49526.2487>

Gunasagaran J, Sean ES, Shivedas S, Amir S, Ahmad TS. Perceived comfort during minor hand surgeries with wide awake local anaesthesia no tourniquet (WALANT) versus local anaesthesia (LA)/tourniquet. 2017. J Orthop Surg (Hong Kong). 25(3), <https://doi: 10.1177/2309499017739499>

Hecker HU, Steveling A, Peuker E (2010). Praxis-Lehrbuch Akupunktur. Stuttgart: Thieme Verlag

Herdegen T (2019). Kurzlehrbuch Pharmakologie und Toxikologie. Stuttgart: Thieme Verlag

Kessler M, Netter P, Azoulay E, Mayeux D, Pere P, Gaucher A. Dialysis-associated arthropathy: a multicentre survey of 171 patients receiving haemodialysis for over 10 years. The Co-operative Group on Dialysis-associated Arthropathy. 1992, Br J Rheumatol, 31(3):157-62, <https://doi: 10.1093/rheumatology/31.3.157>

Mondelli M, Giannini F, Giacchi M. Carpal tunnel syndrome incidence in a general population. 2002, Neurology, 58(2):289-94, <https://doi: 10.1212/wnl.58.2.289>

Nordstrom DL, DeStefano F, Vierkant RA, Layde PM. Incidence of diagnosed carpal tunnel syndrome in a general population. 1998, Epidemiology, 342-5

Padua L, Aprile I, Lo Monaco M, Padua R, Pasqualetti P, Nazzaro M, Tonali P. Italian multicentre study of carpal tunnel syndrome: clinical-neurophysiological picture and diagnostic pathway in 461 patients and differences between the populations enrolled in the northern, central and southern centres. Italian CTS Study Group. 1989, Ital J Neurol Sci, 20(5):309-13, <https://doi: 10.1007/s100720050046>

Pourmemari MH, Shiri R. Diabetes as a risk factor for carpal tunnel syndrome: a systematic review and meta-analysis, 2016, Diabet Med, 33(1):10-6, <https://doi: 10.1111/dme>

Rosenbaum, RB., O. JL, Carpal tunnel syndrome and other disorders of the median nerve. 2002. Amsterdam: Butterworth Heinemann

Sadowska-Wróblewska M, Filipowicz A. Częstość zespołu kanołu nadgarstka u chorych na gościcę przewlekły postępujący. Badania kliniczne i elektromiograficzne [The frequency of carpal tunnel syndrome in patients with rheumatoid arthritis.

Clinical and electromyographic investigations]. 1970, Pol Tyg Lek, 25(18):649-51.
Polish

Saleh E, Saleh J, Govshievich A, Ferland-Caron G, Lin JC, Tremblay DM. Comparing Minor Hand Procedures Performed with or without the Use of a Tourniquet: A Randomized Controlled Trial. 2021. Plast Reconstr Surg Glob Open.9(4), <https://doi:10.1097/GOX.0000000000003513>

Schünke M, Schulte E, Schumacher U. 2018. Prometheus Allgemeine Anatomie und Bewegungsapparat. Lernatlas der Anatomie. 5.Auflage. Stuttgart: Thieme Verlag. S. 84

Shiri R. Arthritis as a risk factor for carpal tunnel syndrome: a meta-analysis. 2016, Scand J Rheumatol, 45(5):339-46, <https://doi:10.3109/03009742.2015.1114141>

Spahn G, Wollny J, Hartmann B, Schiele R, Hofmann GO. Metaanalyse zur Bestimmung von Risikofaktoren für das Karpaltunnelsyndrom (KTS) Teil I. Allgemeine Risikofaktoren [Metaanalysis for the evaluation of risk factors for carpal tunnel syndrome (CTS) Part I. General factors]. 2021, Z Orthop Unfall, 150(5):503-15. German. <https://doi:10.1055/s-0032-1315345>

Schweikert-Wehner P. Polyneuropathien: Wenn Medikamente neurotoxisch sind, 2019, Dtsch Arztebl, 116(37): [18]; <https://doi:10.3238/PersNeuro.2019.09.13.03>