

**Literaturverzeichnis zum Fachartikel “Sporternährungsstrategien für Kinder und Jugendliche – Hohe Energieverfügbarkeit sichern, RED-S Risiken minimieren“ von Uwe Schröder in „Praxis der Psychomotorik“, Ausgabe 04-2023:**

Ackerman, K. E., Stellingwerff, T., Elliott-Sale, K. J., Baltzell, A., Cain, M., Goucher, K., Fleshman, L., Mountjoy, M. L. (2020): #RED-S (Relative Energy Deficiency in Sport): time for a revolution in sports culture and systems to improve athlete health and performance. *Br J Sports Med* 54(7):369-370

Aerenhouts, D., Van Cauwenberg, J., Poortmans, J. R., Hauspie, R., Clarys, P. (2013): Influence of growth rate on nitrogen balance in adolescent sprint athletes. *Int J Sport Nutr Exerc Metab* 23: 409–17

Briggs, C., James, C., Kohlhardt, S., Pandaya, T. (2020): Relative Energy Deficiency in Sport (RED-S) – a Narrative Review and Perspectives from the UK. *Dtsch Z Sportmed*, 71:243-248

Burke, L. M., Hawley, J. A., Wong, S.H., Jeukendrup, A. E. (2011): Carbohydrates for training and competition. *J Sports Sci.*;29(Suppl 1):S17-27

Décombaz, J., Jentjens, R., Ith, M., Scheurer, E., Buehler, T., Jeukendrup, A., et al. (2011): Fructose and galactose enhance postexercise human liver glycogen synthesis. *Med Sci Sports Exerc* 43: 1964–71

Desbrow, B., Leveritt, M. (2020): Nutritional issues for young athletes: children and adolescents. In: Burke LM, Deakin V, Minehan M, editors. *Clinical sports nutrition*. 6th ed. McGraw Hill; 2020

Desbrow, B. (2021): Youth Athlete Development and Nutrition. *Sports Med.*, 51(Suppl 1):3-12.

DGE (2023): Wie hoch sind die Referenzwerte für die Zufuhr von Energie? <https://www.dge.de/gesunde-ernaehrung/faq/energiezufuhr/#:~:text=Bei%20Kindern%20haben%201%2D%20bis,2%20600%20kcal%20pro%20Tag>.

Hammond, K. M., Sale, C., Fraser, W., Tang, J., Shepherd, S. O., Strauss, J. A., et al. (2019): Post exercise carbohydrate and energy availability induce independent effects on skeletal muscle cell signalling and bone turnover: implications for training adaptation. *J Physiol* 597: 4779–4796

Hannon, M. P., Unnithan, V., Morton, J. P., Close, G. L. (2019): Nutritional strategies to support young athletes. In: *Strength and Conditioning for Young Athletes: Science and Application*. Lloyd, RS and Oliver, JL, eds. . New York: Routledge, pp. 507 300–335

Hannon, M. P., Close, G. L., Morton, J. P. (2020): Energy and macronutrient considerations for young athletes, *Strength & Conditioning Journal*, 42 (6). pp. 109-119

- Jeukendrup, A., Cronin, L. (2011): Nutrition and elite young athletes. *Med Sport Sci*;56: 47-58
- Langbein, R. K., Martin, D., Allen-Collinson, J., Crust, L., Jackman, P. C. (2021): „I'd got self-destruction down to a fine art“: a qualitative exploration of relative energy deficiency in sport (RED-S) in endurance athletes. *J Sports Sci*, 39(14):1555-1564
- Loucks, A. B., Kiens, B., Wright, H. H. (2011): Energy availability in athletes. *J Sports Sci* 29: S7–S15
- Manore, M. M., Kam, L. C., Loucks, A. B. (2007): The female athlete triad: components, nutrition issues, and health consequences. *J Sports Sci*;25(suppl 1):S61– S71.
- Mazzulla, M., Volterman, K. A., Packer, J. E., Wooding, D. J., Brooks, J.C., Kato, H., et al. (2018): Whole-body net protein balance plateaus in response to increasing protein intakes during post-exercise recovery in adults and adolescents. *Nutr Metab (Lond)*. 15:62
- Melin, A. K., Heikura, I. A., Tenforde, A., Mountjoy, M. (2019): Energy Availability in Athletics. *Health, Performance and Physique. IJSNEM*, 29(2):152-164
- Reguant-Closa, A., Harris, M. M., Lohman, T. G., Meyer, N. L. (2019): Validation of the Athlete's Plate nutrition educational tool: phase I. *Int J Sport Nutr Exerc Metab*. 29(6):628–35.
- Riddell, M. C., Bar-Or, O., Wilk, B., Parolin, M. L., Heigenhauser, G. J. (2001) Substrate utilization during exercise with glucose and glucose plus fructose ingestion in boys ages 10--14 yr. *J Appl Physiol* 90: 903–911
- Rogers, M. A., Appaneal, R. N., Hughes, D., Vlahovich, N., Waddington, G., Burke, L. M., et al. (2021): Prevalence of impaired physiological function consistent with Relative Energy Deficiency in Sport (REDS): an Australian elite and pre-elite cohort. *Br J Sports Med*. 55(1):38–45
- Schröder, U., Wagner, G. (2020): Trinken beim Sport: individuell und zielorientiert. *Ernährung & Medizin*; 35(01): 10-15
- Speakman, J. R., Selman, C. (2003): Physical activity and resting metabolic rate. *Proc Nutr Soc* 62: 621–634
- Stoyel, H., Delderfield, R., Shanmuganathan-Felton, V., Stoyel, A., Serpell, L. (2021): A qualitative exploration of sport and social pressures on elite athletes in relation to disordered eating. *Front Psychol*. 12:633490
- Tang, J. E., Moore, D. R., Kujbida, G. W., Tarnopolsky, M. A., Phillips, S. M. (2009): Regulation of Protein Metabolism in Exercise and Recovery Ingestion of whey hydrolysate , casein, or soy protein isolate : effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *J Appl Physiol* 107: 987–992

Wagner, G., Peil, J. M., Schröder, U. (2011): Trink Dich Fit, pala-verlag, Darmstadt

Volterman, K. A., Moore, D. R., Breithaupt, P., Grathwohl, D., Offord, E. A., Karagounis, L. G., et al. (2017): Timing and pattern of post-exercise protein ingestion affects whole body protein balance in healthy children: a randomized trial. Appl Physiol Nutr Metab 1148: apnm-2017-0185